TOSHIBA

E-STUDIO 6518AG E-STUDIO*8518AG

- > Black & White Multifunction Printer
- > Up to 85 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP



CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

Technology for every workplace; delivering advanced functionality, ease of use, and peace of mind.

Every business is unique. That's why Toshiba offers the latest customizable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximize your productivity.

Our latest series delivers on our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management, and content needs while helping you meet your green objectives.

- > Speeds up to 65 and 85 PPM black & white
- Outstanding image quality and high volume output
- Advanced e-BRIDGE Next technology
- > Fast dual-core processor





Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customizable to meet your needs, enhancing the sleek and modern look of the complete series.

Faster, sleeker, with more volume than ever.

Toshiba's new sleek lineup is as impressive on the inside as it is on the outside. Its ultra-modern look houses the latest innovative technologies, like crisp, clean monochrome output at a speed of up to 85 pages per minute and an impressive 6,020-sheet maximum paper capacity.


- > 1,200 dpi x 1,200 dpi
- > High-speed, high-capacity Dual-Scan Document Feeder
- > Up to 720K maximum monthly copy volume

Elevate streamlines complicated multi-step processes into automated, one-touch functions.

We know you have work to do and at Toshiba we've introduced a new concept designed to make your job easier and more productive by personalizing the MFP user interface around your specific business processes.

Elevate enables customized and automated workflow presenting the user with convenient one-touch functions addressing only the tasks they use most. This results in simple operation and improved efficiency leading to an overall cost savings. Let Toshiba Elevate your productivity.

 Customize and automate workflow specifically around your business processes



 Personalize the user interface by department to deliver the utmost efficiency

 Cost savings and greater efficiency through improved workflow and productivity



FEATURES AND BENEFITS AND MORE OF THEM.

With the Toshiba e-STUDIO6518AG/e-STUDIO8518AG you can improve workgroup connection, integrate and simplify, while improving efficiency with ultra-high-quality output at unprecedented volumes.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Fast Dual-Scan Document Feeder handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a max of 240 images per minute (IPM).

Fast First Copy Out Times at 5.2/4.1 seconds respectively.

10.1" Tablet-Style Touch Screen works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around a job that's held-up for a specific paper size or media type.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Auto Skew Correction ensures your scanned documents are reproduced accurately.

e-BRIDGE Plus for USB lets you print PDF and JPG files straight from your USB drive and the MFP will scale documents to fit the available paper size if necessary.

Scan-to USB is great for capturing a file quickly when you're on the go.

Scan Preview allows you to review your scanned documents on the 10.1" tablet-style touch screen, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types, and levels in each cassette.

Multi-Station Print Enabler allows you to retrieve your print job from a series of networked MFPs via simple authentication, now with support of up to 50 e-BRIDGE MFPs.









HOW TOSHIBA IS RAISING THE STANDARD.

When it comes to seamless workflow and simplified integration, the e-STUDIO6518AG/e-STUDIO8518AG represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions.

AirPrint® and Mopria® support address the printing needs of mobile device users, while Wi-Fi Direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables users additional printing features and the ability to scan documents back to their tablets or smartphones.

Toshiba's V4 Driver with Toshiba Print Experience serves PCL users, a universal print driver and XPS support addresses Windows® environments while PS3 support provides connectivity for Macintosh® users and beyond.

Cloud Support

Toshiba's new e-BRIDGE Plus apps, including e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online let users print from Microsoft's cloud-based services directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word,™ Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into popular Office™ formats as well.*

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your mobile device—to an e-STUDIO6518AG/e-STUDIO8518AG MFP, e-BRIDGE Plus for Google Drive,™ e-BRIDGE Plus for OneDrive,® e-BRIDGE Plus for DropBox,® and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.*

*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

Advanced Security

Even more important than functionality is the security offered by the e-STUDIO8518A Series. Such technological advancements include:

- A 320GB FIPS 140-2 Validated Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite exceeds government requirements
- IPsec is available to securely encrypt data sent to and from the MFP
- HCD-PP Certified ensures that the MFP has met rigorous security assurance requirements to safeguard your digital documents

Environmental Protection

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- > ENERGY STAR V2.0 certified
- RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use

FEATURES, BENEFITS, AND THE WOW FACTOR.

1 Accessory Tray & Options

GR1330 – Accessory Tray GR9000 – Bluetooth Keyboard GR1340 – 10-Key Numeric Keypad

2 Finishing Options

MJ1111B – 50-Sheet Console Finisher MJ1112B – 50-Sheet Saddle Stitch Finisher MJ6106N – Hole Punch Unit KA6551 – Side Exit Tray

3 Connectivity Options

GD1370N – Fax Unit/2nd Line for Fax Unit GN4020 – Wireless LAN/Bluetooth Module

4 Additional Paper Options

MP2502B - 2,500 Sheet Large Capacity Feeder

Additional Option Highlights

- > Part #'s IPsec Security Enabler
- > Multi-Station Print Enabler
- > Embedded OCR Enabler



The Toshiba e-STUDIO6518AG/e-STUDIO8518AG tops all previous machines and helps large workgroups improve productivity and connectivity while simplifying overall workflow.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

Bluetooth/Wi-Fi Option

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the Wi-Fi capability enables Wi-Fi Direct printing making it ideal for mobile users.

Volumes and Volumes

A high monthly copy volume of 590K/720K respectively. Impressive toner yields of 106,600 at 5% coverage.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their card and authenticating at that device.

Advanced e-BRIDGE Next Technology

Built on Linux[®], this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™ dual-core processor, 4GB RAM, and a 320GB FIPS 140-2 Validated SED enabling the MFP to easily drive Toshiba's internally developed solutions and third-party applications.

C-STUDIO 6518AG/8518AG

Main Specifications

Copy System Indirect Electrostatic Photographic Method/ /Laser Printing/

Heat Roller Fusing

Display 10.1" Color WSVGA Touch Screen Tilting Display 65/85 PPM (LT)

Copy Speed First Copy Out 5.2/4.1 Seconds Warm-Up Time Approx. 24/20 Seconds

Copy Resolution 2400 dpi (Equivalence) x 600 dpi (with Smoothing) 3.9" x 5.8" to 13" x 19", 12" x 47" Banner, Envelope Stack Feed Bypass

Multiple Copying Up to 9,999 Copies

Standard 3,520 Sheets/Max. 6,020 Sheets (Tandem Drawer) Standard 300-Sheet DSDF **Paper Capacity**

Original Feed

Scan Speed & Weights DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color),

Simplex: 9.3-110 lb Index, Duplex: 9.3-110 lb Index

Max. Original Size ΙD

Paper Feed Sizes Drawers: 540 Sheets-ST-R to 12" x 18" Integral Tandem LCF 1,160 x 2 LT-Only

Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Banner

Opt. 2,500-Sheet Ext. LCF LT-Only Tandem LCF 1,160 Sheets x 2-16 lb Bond-140 lb Index

Paper Weights Plus 540 Sheets x 2-16 lb Bond-140 lb Index

Stack Feed Bypass: 120 Sheets-16 lb Bond-110 lb Cover Opt. 2,500-Sheet Ext. LCF LT-Only-16 lb Bond-140 lb Index Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)

Duplex Reproduction Ratio 25% to 400% Max Duty Cycle Max. 590K/720K Month

Approx.430 lb Weight Approx. Dimensions 37.6" (W) x 27.5" (D) x 48.3" (H) Toner Yield 106,600 @ 5%

Power Source 120 Volts, 50/60 Hz, 16 Amps Maximum 2.0kW (120V) **Power Consumption** Intel Atom™ 1.33 GHz (Dual-Core)

Memory

Hard Disk Drive 320GB FIPS 140-2 Validated Self-Encrypting Drive

e-BRIDGE Next Print Specifications

PDL PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG

Print Speed Print Resolution

600 x 600 dpi, 2,400 (Equivalence) x 600 dpi (With Smoothing), 1,200 x 1,200 dpi (2-bit) or 3,600 (Equivalence) x 1,200 dpi, PS Only

Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7,8.1,10, Windows **Operating Systems**

Server® 2012/R2, Windows Server 2016®, Macintosh® (macOS X 10.7.4, 10.8,

10.9, 10.10, 10.11, macOS 10.12, 10.13), Unix®, Linux®

TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, **Network Protocols**

EtherTalk for Macintosh® Environments

SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP **Printing Protocols**

Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server 2016®, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, macOS 10.12, 10.13

Interface RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional

802.11b/g/n, Wireless LAN, Optional Bluetooth Wireless Device

AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)

TopAccess, EFMS 6.3 (e-BRIDGE Fleet Management Software)

Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/

Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function Accessibility Features Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts



Print Drivers

Device Management

Account Control















Security Features User Authentication, On-Board Data Scramble Function, SCEP, Disable

e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, NFC Authentication *Conformance with HCD-PPv1.0 in High Security Mode.

ENERGY STAR® (V2.0), EPEAT Gold **Environmental Stds.**

Certification

WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®,

SAP, AirPrint®, Mopria®

Scan Specifications

Scan Modes Scan Resolution **File Formats**

Image Compression

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color) Standard: Full Color, Auto Color, Monochrome, Grayscale

600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)

Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.)

Color/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility Super G3

Data Compression MH/MR/MMR/JBIG Transmission Speed Approx. 3 Seconds Per Page

Fax Modem Speed Up to 33.6 Kbps

Memory Transmission 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job Scan Speed

0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method Number of Boxes

Color Touch Screen Control Panel or Client PC 1 Public Box, 200 Private User Boxes

KN1103

Capacity of Boxes 100 Folders Per Box, 400 Documents Per Folder/Box,

200 Pages Per Document

Accessories (Options)

Additional Paper Options Large Capacity Feede

Finisher Guide Rail

MP2502B **Finishing Options** MJ1111B 50-Sheet Staple Finisher Saddle-Stitch Finisher MJ1112B Hole Punch Unit for MJ1111B/MJ1112B MJ6106N Side Exit Tray KA6551

Connectivity/Security Options GD1370N FAX Unit/2nd Line for FAX Unit Wireless LAN/Bluetooth GN4020 Bluetooth Keyboard GR9000

Accessory Tray
Panel 10-Key Option
Card Reader Holder GR1330 GR1340 Meta Scan Enabler GS1010

IPsec Fnabler GP1080 Unicode Font Enabler GS1007 Embedded OCR Enabler Per Seat License GS1080

Multi-Station Print Enabler Per Seat License GS1090 SharePoint® Connector GB1440 Exchange Connector GR1450 GB1540 Google Docs™ Connector

Miscellaneous Options Accessible Arm

25530 Commercentre Drive, Lake Forest, CA 92630

959 Route 46 East, 5th Floor, Parsippany, NJ 07054

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631

KK2550 Harness Kit for Coin Controller GQ1280 Manual Pocket KK5008

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the ime of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Corporate Office

East Coast

2037 Bakers Mill Rd., Dacula, GA 30019 Tel: 678-546-9385 West Coast 25530 Commercentre Drive, Lake Forest, CA 92630

Tel: 949-462-6000

Tel: 973-316-2700

Tel: 773-380-6000

Tel: 949-462-6000 Web Site www.business.toshiba.com